HIGH COURT OF JAMMU AND KASHMIR

(OFFICE OF THE CENTRAL PROJECT COORDINATER e-COURTS)

\*\*\*\*\*\*

Subject:-Corrigendum to NIT

In the NIT No.:- HC-JK/ET/1/2017 published by the High Court through e-tendering on e-Procurement website of the State <a href="http://jktenders.gov.nic.in">http://jktenders.gov.nic.in</a> for procurement of printers for various Courts in Jammu and Kashmir, the following corrigendum is issued:

- Due to typographical error, certain mistakes have crept in the specifications of
  the items as contained in Annexure-17 (Main Technical MT.01) of the tender
  document. As such through the instant corrigendum, the specifications as
  mentioned in Annexure attached to this corrigendum may be read in Annexure17 in place of the specifications mentioned therein.
- Annexure-2 (Eligibility Criteria), Point No. 10 may be read as under:

"Bidder must have infrastructure support (Service Centres) in the two capital cities of Jammu and Srinagar and must provide onsite service at other places as per the time schedule mentioned under Head: 1.15 Onsite Warranty Mainenance (Page 17)".

 Annexure-8: Support Infrastructure Available with Bidder will also stand modified accordingly.

Malik Shabir Ahmyd 4 2017

Central Project Coordinator (e-Courts)

High Court of Jammu and Kashmir

Date:

06-04-2017

Place:

Jammu

## Annexure to Corrigendum - 1

## **Duplex Laser Printer with Ethernet Port**

| Feature  | Specification  |
|--|--|
| Printing Technology                              | Monochrome Laser Printing  |
| Duplex Printing                                  | Auto Duplex with Ubuntu 14.04 Driver support for duplex  |
| Simplex Printing Speed (A4)                      | 25 ppm or above  |
| First Print Out Time                             | 8 seconds or less  |
| Resolution                                       | 600 x 600 dpi or better  |
| Paper Tray Capacity                              | 250 pages  |
| Output Tray Capacity                             | 100 pages  |
| Paper Type                                       | Plain Paper, Heavy Paper, Transparency,<br>Label, Index Card, Envelope                         |
| Duplex Printing                                  | A4 / Letter / Legal  |
| RAM  | 64 MB or more  |
| Interface  | USB 2.0 Hi-speed or more10/100 Base-T<br>Ethernet (Network)                                    |
| Operating System Drivers to be provided for      | Ubuntu 14.04 and later, Windows Vista and later including Windows 8 (all 32 and 64 bit both)   |
| Duty Cycle                                       | 10000 pages per month  |
| Power Requirement                                | AC 220 -240V (± 10%), 50 / 60Hz (±2Hz)   |
| Energy Certification                             | Energy Star (EPA) ver 5.0 / BEE India Star ver 1   |
| Original Equipment<br>Manufacturer (OEM) Product | OEM Manufacturer or its authorised dealers with OEM Manufacturer Authorization only to bid     |
| Warranty   | 5 Years Comprehensive warranty including all parts except toner Cartridge with on site support |

| Bidder to give details                       |  |  |
|--|--|--|
| A. Yield per Toner Cartridge                 |  |  |
| B. Whether Toner cartridge & Drum Integrated |  |  |
| C. Whether Cartridge refillable              |  |  |

## NOTE:

Whole of the above configuration should be read as "the same, equivalent or better/more.

## Multi Function Printer (MFD Printer) with Ethernet port

|   | PRINT   |
|---|---|
| Printing Method                                 | Monochrome Laser  |
| Simplex Printing Speed (A4)                     | 25 ppm or more  |
| Print Resolution                                | 600 x 600 dpi   |
| First Printout Time                             | 10 second or less   |
| Auto Duplex Print                               | Auto Duplex Standard  |
| Available Paper Size for Auto<br>DuplexPrint    | Plain Paper, Heavy Paper, Transparency, Label, Index Card, Envelope |
| BIDD  | ER TO GIVE DETAILS  |
| A. Yield per Toner Cartridge                    |   |
| B. Whether Toner cartridge & Drum Integrated    |   |
| C. Whether Cartridge is refillable              |   |
| P   | APER HANDLING   |
| Auto Document Feeder (ADF)                      | 30 sheets   |
| Available Paper Size for<br>AutoDocument Feeder | A4, B5, A5, B6, Letter, Legal                                       |
| Paper Input (Standard)                          | 250-sheets (Plain Paper of 60-80 gsm),1-sheet<br>Multipurpose Tray  |
| Paper Output                                    | 100 sheets  |

| Paper Sizes (Standard<br>Cassette) | A4, B5, A5, B6, Letter, Legal  |
|------------------------------------|--|
| Paper Sizes (Multipurpose<br>Tray) | A4, B5, A5, B6, Letter, Legal  |
| Paper Types                        | Plain Paper, Heavy Paper, Transparency, Label, Index Card, Envelope  |
|                                    | SCAN   |
| Scan Resolution                    | Optical 600 x 600 Dpi or better  |
| Color depth                        | 24 bit Color Scanning  |
| Scan Speed                         | Upto 12 ppm (Black & White), Upto 5 ppm (Color)  |
| Pull Scan                          | Yes, USB & Network   |
| Push Scan (Scan to PC)             | Yes, USB & Network   |
| Scan Features                      | TWAIN Compatible   |
| Scan Output                        | PDF, JPEG, TIFF etc  |
| Scanning Options                   | Color, Grey Scale, Black & White etc.  |
| Scanner Compatibility              | SANE Family of Scanners (SANE Project Supported Device)  |
|                                    | COPY   |
| Copy Speed (Simplex: A4)           | 25 cpm (Copies per Minute)   |
| Copy Resolution                    | 600 x 600 dpi  |
| First Copy Out Time (A4)           | 10 Seconds or less   |
| Reduce / Enlargement               | 25 -400 %  |
|                                    | FAX  |
| Modem Speed                        | Up to 33.6 Kbps  |
| Memory Capacity                    | Up to 100 pages  |
| Coded Dial                         | Up to 99 Dials   |
| Receive Mode                       | FAX only, Manual, Answering, Fax/TelAuto<br>Switch   |
| Memory Backup                      | Permanent Fax Memory backup  |
| Other Fax Features                 | Plain Paper Fax, EPABX Compatible, Auto<br>Redial, Fax Activity Reports, Fax Activity Result<br>Reports, Fax Activity Management Reports |
| CON                                | NECTIVITY & SOFTWARE   |
| Standard Interface(s)              | USB 2.0 High-Speed, 10/100 Base-T Ethernet (Network), Phone Line Port  |

| Network Security (Wired)          | IP/Mac address filtering  |
|-----------------------------------|---|
| Compatible Operating<br>Systems*3 | Ubuntu 14.04, Windows Vista and later including Windows 8 (all 32 and 64 bit both)              |
| GEN                               | JERAL SPECIFICATIONS  |
| Memory                            | 64 Mb or Higher   |
| Power Requirements                | AC 220 -240V (±10%), 50 / 60Hz (±2Hz)   |
| Monthly Duty Cycle                | 10000 Pages   |
| Energy Certification              | Energy Star (EPA) ver 5.0 / BEE India Star ver 1  |
| Warranty                          | 5 Years Comprehensive warranty including all parts except toner Cartridge with on site support. |